

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	405	electrodeposit\$3 with protect\$3 and (vehicle or automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:18
L2	5	1 and (hemmed or hemming or hem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 09:55
L3	1111	electrodeposit\$3 with corrosi\$2 and (vehicle or automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 10:26
L4	28	3 and (hemmed or hemming or hem)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 09:55
L5	24	4 not 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 09:55
L6	42	electrodeposit\$3 with gap and (vehicle or automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 10:34
L7	58	electrodeposit\$3 same gap and (automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 11:43
L8	35	7 not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 10:34
L9	517	electrodeposit\$3 and (hem or hemming or hemmed or flange or bend or dent or bended) and (automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 11:43

## EAST Search History

L10	632	electrodeposit\$3 and (hem or hemming or hemmed or flange or bend or bent or bended) and (automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 11:43
L11	122	electrodeposit\$3 same (hem or hemming or hemmed or flange or bend or bent or bended) and (automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 11:44
L12	109	11 not 7 not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 11:44
L13	221	electrodeposit\$3 with protect\$3 with corrosion and (vehicle or automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:18
L14	192	electrodeposit\$3 with protect\$3 with corrosion and (automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:58
L15	40	electrodeposit\$3 with (protect\$3 or corrosion) and (automobile or automotive) and (hemmed or hemming or hem or flange)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:54
L16	7	electrocoat\$3 with (hemmed or hemming or hem or flange) and (automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:56
L17	0	electro-coat\$3 with (hemmed or hemming or hem or flange) and (automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:56
L18	19	electrocoat\$3 same (hemmed or hemming or hem or flange) and (automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:56
L19	12	18 not 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:56

## EAST Search History

L20	66	conventional with (electrodeposit\$3 or automobile) and electrodeposit\$3 with protect\$3 with corrosion and (automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 14:58
L21	86	known with (electrodeposit\$3 or automobile) and electrodeposit\$3 with protect\$3 with corrosion and (automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 13:58
L22	15	assembl\$2 with (electrodeposit\$3 or automobile) and electrodeposit\$3 with protect\$3 with corrosion and (automobile or automotive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/24 14:59